

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Alkali skipper	4,023.4	0.0	0.0%
American badger	1,134,948.0	153,893.8	13.6%
American peregrine falcon	30,834.5	1,026.4	3.3%
American white pelican	1,453.6	15.7	1.1%
Aphanisma	12,806.7	184.3	1.4%
Arizona carlowrightia	48,602.6	0.0	0.0%
Arizona spurge	961.8	0.0	0.0%
Arroyo chub	3,533.6	0.0	0.0%
Arroyo toad	27,401.0	4,603.2	16.8%
Ayenia	1,855.8	0.0	0.0%
Baja California comb bur	47,251.2	0.0	0.0%
Bald eagle	2,209.5	168.0	7.6%
Banana slug	19,926.1	0.6	0.0%
Bank swallow	13,930.1	447.1	3.2%
Barrow's goldeneye	1,453.6	15.7	1.1%
Beautiful hulsea	23,404.8	1,146.4	4.9%
Belding's savannah sparrow	1,313.9	0.0	0.0%
Belkin's horse fly	1,663.6	0.0	0.0%
Bell's sage sparrow	268,855.2	82,595.7	30.7%
Bendire's thrasher	6,804.2	25.8	0.4%
Big free-tailed bat	1,379,787.3	236,762.0	17.2%
Black skimmer	833.2	0.0	0.0%
Black swift	468.1	25.7	5.5%
Black tern	630.5	4.4	0.7%
Black-shouldered kite	113,870.2	14,041.4	12.3%
Blaisdell trigonoscuta weevil	336.1	0.0	0.0%
Blochman's dudleya	2,797.7	0.0	0.0%
Bluish spike moss	739.8	329.0	44.5%
Borrego bedstraw	7.5	0.0	0.0%
Borrego milkvetch	318.1	0.0	0.0%
Borrego peppergrass	15.8	0.0	0.0%
Brand's phacelia	4,955.3	134.4	2.7%
Brewer's calandrinia	15,119.8	538.4	3.6%
Burrowing owl	52,744.9	7,152.6	13.6%
California adder's tongue fern	18,181.9	4,846.6	26.7%
California bedstraw	1,409.8	238.3	16.9%
California black rail	3,855.2	32.7	0.8%
California black walnut	462.9	55.0	11.9%
California box-thorn	90.5	0.0	0.0%
California brown pelican	1,453.6	15.7	1.1%
California ditaxis	510.1	0.0	0.0%
California gnatcatcher	112,183.7	31,104.4	27.7%
California gull	91,052.2	12,309.0	13.5%
California hulsea	101,365.5	13,958.5	13.8%
California leaf-nosed bat	337,626.9	20,514.4	6.1%
California least tern	542.3	0.3	0.1%
California lindellaria	12,668.7	1,561.1	12.3%
California newt	233.1	62.6	26.9%
California red -legged frog	48,523.8	7,424.7	15.3%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
California rosace	869.1	11.1	1.3%
California spine flower	7,741.3	330.7	4.3%
California spotted owl	57,155.3	17,433.2	30.5%
Campo clarkia	19,781.0	6,945.9	35.1%
Canada goose	32,446.7	4,230.2	13.0%
Caraway leaved gilia	54,937.5	12,815.2	23.3%
Catalina mariposa lily	367.6	15.9	4.3%
Cedros Island oak	2,649.9	1,707.8	64.4%
Chapparal beargrass	5,213.4	2,200.7	42.2%
Chuckwalla	1,921.9	0.0	0.0%
Cleveland's monkey flower	172,968.5	48,182.2	27.9%
Cliff spurge	3,921.5	17.6	0.4%
Climbing spearleaf	40.4	0.0	0.0%
Coast barrel cactus	34,998.7	1,348.9	3.9%
Coast patch-nosed snake	148,547.8	43,653.2	29.4%
Coast woolly heads	356.7	0.0	0.0%
Coastal Dunes Milkvetch	356.7	0.0	0.0%
Coastal Saltbush	1,221.1	0.0	0.0%
Coastal giant skipper	4,620.6	330.7	7.2%
Coastal rosy boa	385,054.1	132,858.5	34.5%
Coastal western whiptail	406,795.8	131,991.8	32.4%
Colorado desert fringe-toed lizard	318.1	0.0	0.0%
Common barn-owl	41,940.7	2,314.3	5.5%
Common loon	1,453.6	15.7	1.1%
Cooper's hawk	761,917.8	159,538.6	20.9%
Cooper's rein orchid	18,635.1	974.7	5.2%
Coronado skink	127,039.6	10,628.5	8.4%
Coulter's goldfields	306.4	0.0	0.0%
Coulter's matilija poppy	1,116.9	0.0	0.0%
Cove's cassia	7.3	0.0	0.0%
Crissal thrasher	7,070.5	0.0	0.0%
Curly herissantia	14,608.2	0.0	0.0%
Cuyamaca cypress	10,203.2	9,109.4	89.3%
Cuyamaca downingia	755.3	248.3	32.9%
Cuyamaca larkspur	1,464.7	187.7	12.8%
Cuyamaca meadowfoam	1,086.7	138.9	12.8%
Cuyamaca raspberry	33,852.8	16,925.5	50.0%
Davidson's saltscale	10.9	0.0	0.0%
Dean's Milkvetch	26,726.5	3,333.2	12.5%
Decumbent goldenbush	5,455.1	1,349.9	24.7%
Dehesa beargrass	2,858.1	236.9	8.3%
Del Mar Manzanita	5,751.2	225.4	3.9%
Desert beauty	3,546.6	4.2	0.1%
Desert larkspur	75,614.6	0.0	0.0%
Desert sage	642.0	0.0	0.0%
Desert slender salamander	489.8	0.0	0.0%
Desert spike moss	3,636.1	0.0	0.0%
Desert unicorn plant	16,698.4	0.0	0.0%
Double-crested cormorant	1,453.6	15.7	1.1%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Dulzura California pocket mouse	438,734.3	97,274.6	22.2%
Dun skipper	13,054.4	4,047.7	31.0%
Dunn's mariposa lily	45,026.8	21,234.6	47.2%
Elegant tern	1,805.3	4.7	0.3%
Elephant tree	1,839.1	0.0	0.0%
Encinitas Baccharis	55,238.4	35,585.8	64.4%
Engelmann oak	42,121.6	15,044.6	35.7%
Estuary seablite	670.8	0.0	0.0%
Fairy duster	18,467.5	0.0	0.0%
Felt leaved rock mint	1,527.0	466.5	30.6%
Ferruginous hawk	193,830.2	2,373.1	1.2%
Fish's milkwort	34,922.1	15,035.1	43.1%
Flat seeded spurge	531.7	0.0	0.0%
Flat tailed horned lizard	4,030.9	0.0	0.0%
Fremont barberry	5,304.6	0.0	0.0%
Fringed myotis	868,608.0	215,882.6	24.9%
Fulvous whistling-duck	630.5	4.4	0.7%
Gabb's tiger beetle	1,221.1	0.0	0.0%
Gadwall	1,455.9	15.9	1.1%
Gairdner's yampah	646.7	30.8	4.8%
Gambel's watercress	1,049.4	236.1	22.5%
Gander's butterweed	38,272.7	15,383.8	40.2%
Gander's cryptantha	531.7	0.0	0.0%
Gander's pitcher sage	13,643.5	9,011.5	66.0%
Globose dune beetle	403.4	0.0	0.0%
Golden eagle	1,251,722.2	325,128.7	26.0%
Golden snake cactus	6,886.5	424.6	6.2%
Golden violet	440.8	0.0	0.0%
Golden-rayed pentachaeta	14,888.8	3,754.6	25.2%
Graceful tarplant	11,025.1	830.0	7.5%
Grasshopper sparrow	56,005.2	6,588.9	11.8%
Gray vireo	36,465.4	11,896.6	32.6%
Gray-headed junco	64,834.2	19,691.1	30.4%
Great blue heron	36,374.7	3,363.7	9.2%
Greater western mastiff bat	2,147,136.4	344,411.7	16.0%
Green heron	15,864.9	448.0	2.8%
Hairy stickleaf	16,432.0	0.0	0.0%
Hall's gumplant	3,979.8	871.1	21.9%
Hall's monardella	47,355.4	14,161.8	29.9%
Hammitt's claycress	535.1	296.7	55.4%
Harwood's milkvetch	68,571.3	0.0	0.0%
Heart leaved pitcher sage	2,427.6	2,418.7	99.6%
Hermes copper	317,451.2	124,527.1	39.2%
Hilda blue	24,836.1	9,244.5	37.2%
Hirshberg's rockcress	266.6	236.4	88.7%
Horned lark	59,487.5	6,656.0	11.2%
Indian valley bush mallow	702.4	415.2	59.1%
Jacumba Milkvetch	30,775.6	0.0	0.0%
Jacumba little pocket mouse	137,971.2	0.0	0.0%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Johnston's bedstraw	7,136.2	0.0	0.0%
La purissima viguiera	1,123.6	0.0	0.0%
Laguna Mountain aster	975.3	202.0	20.7%
Laguna Mountain goldenbush	989.7	329.0	33.2%
Laguna Mtn. Skipper	1,086.7	138.9	12.8%
Laguna Mtns. Jewelflower	32,340.2	14,676.6	45.4%
Lakeside ceanothus	62,060.1	40,297.1	64.9%
Large leaf fillary	538.1	113.1	21.0%
Large-billed savannah sparrow	1,313.9	0.0	0.0%
Large-blotched salamander	91,053.0	29,525.0	32.4%
Las Animas colubrina	0.0	0.0	0.0%
Laughing gull	1,453.6	15.7	1.1%
Leafy buckwheat	636.6	141.8	22.3%
Least Bell's vireo	43,813.1	4,489.9	10.2%
Least bittern	1,441.7	49.5	3.4%
Leconte's thrasher	7,708.8	0.0	0.0%
Lemon lily	465.5	0.0	0.0%
Lewis sun cup	14,601.7	257.0	1.8%
Lewis' woodpecker	73,080.1	21,466.2	29.4%
Light-footed clapper rail	3,855.2	32.7	0.8%
Little mouselike	12,493.2	1,630.5	13.1%
Loggerhead shrike	493,850.6	54,190.4	11.0%
Long eared myotis	895,503.1	215,882.6	24.1%
Long legged myotis	875,273.2	217,097.2	24.8%
Long spined-spine flower	4,853.0	226.1	4.7%
Long-billed curlew	1,619.7	4.4	0.3%
Long-eared owl	15,799.1	528.2	3.3%
Los Angeles little pocket mouse	52,286.5	11,488.3	22.0%
Many stemmed dudleya	8,932.7	0.0	0.0%
Merlin	21,071.0	682.9	3.2%
Mesa club moss	5,583.3	1,534.6	27.5%
Mesa horkelia	7,902.8	330.7	4.2%
Mexican flannelbush	866.3	520.4	60.1%
Mexican hulsea	4,630.1	0.0	0.0%
Mexican long-tongued bat	106,327.0	14,401.8	13.5%
Mexican mosquito fern	21.9	15.1	69.3%
Mimic tryonia snail	2,430.4	0.0	0.0%
Mission canyon bluecup	13,234.2	4,477.9	33.8%
Mojave tarplant	34,821.1	1,787.9	5.1%
Monarch butterfly	51,885.6	5,744.8	11.1%
Morena currant	23,425.1	825.5	3.5%
Mountain lion	1,975,512.3	321,618.7	16.3%
Mountain plover	9,801.7	107.2	1.1%
Mountain quail	453,013.7	74,660.1	16.5%
Mountain yellow legged frog	150.0	1.0	0.7%
Mt. Laguna alumroot	8,747.5	273.5	3.1%
Mtn. Springs bush lupine	23,747.7	0.0	0.0%
Mud nama	782.5	11.5	1.5%
Mudflat tiger beetle	717.0	4.7	0.7%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Munz sage	12,309.8	7,271.9	59.1%
Narrow-petaled rein orchid	4,028.7	3,277.6	81.4%
Nevin's Barberry	548.7	0.0	0.0%
Newberry's velvet-mallow	10,170.8	0.0	0.0%
Northern harrier	231,016.5	42,643.1	18.5%
Northern red diamond rattlesnake	815,693.9	186,730.0	22.9%
Northwestern San Diego pocket mouse	417,127.7	102,622.9	24.6%
Nuttall's lotus	356.7	0.0	0.0%
Nuttall's scrub oak	4,993.2	581.6	11.6%
Oblivious tiger beetle	1,317.6	0.0	0.0%
Ocellated Humboldt lily	1,765.8	246.1	13.9%
Oil neststraw	40.5	0.0	0.0%
Olive-sided flycatcher	66,532.5	20,132.5	30.3%
Orange-throated whiptail	307,426.2	82,686.4	26.9%
Orcutt grass	7,553.1	1,375.1	18.2%
Orcutt's bird's beak	1,429.4	0.0	0.0%
Orcutt's brodiaea	156,876.6	36,817.4	23.5%
Orcutt's chorizanthe	2,563.3	196.3	7.7%
Orcutt's dudleya	436.9	0.0	0.0%
Orcutt's hazardia	1,699.1	86.4	5.1%
Orcutt's linanthus	14,282.5	2,951.5	20.7%
Orcutt's woolly aster	4,171.9	0.0	0.0%
Osprey	10,569.2	2,206.9	20.9%
Otay tarplant	3,353.9	0.2	0.0%
Otay Manzanita	21,080.2	13,985.8	66.3%
Otay mesa mint	1,294.7	0.0	0.0%
Otay mountain lotus	18,141.8	12,418.5	68.5%
Pacific pocket mouse	9,142.9	252.9	2.8%
Pallid San Diego pocket mouse	195,962.5	0.0	0.0%
Pallid bat	2,104,197.7	335,933.7	16.0%
Palmer's goldenbush	2,233.1	72.1	3.2%
Palmer's grappling hook	128,582.7	55,872.2	43.5%
Palmer's lyrepod	6,142.5	0.0	0.0%
Palmer's sage	9,605.4	2,419.6	25.2%
Palomar monkey flower	70,822.5	17,596.6	24.8%
Parish brittlescale	808.1	2.8	0.3%
Parish psoralea	54,040.7	11,813.3	21.9%
Parish's desert thorn	221.2	0.0	0.0%
Parish's pincushion flower	256.8	86.2	33.6%
Parry's tetracoccus	23,386.0	6,911.0	29.6%
Payson's jewelflower	9,270.5	94.0	1.0%
Peirson's pincushion flower	67,946.9	0.0	0.0%
Pendleton button celery	3,673.8	0.0	0.0%
Peninsular Range shoulderband snail	3,501.9	71.0	2.0%
Peninsular bighorn sheep	247,530.5	0.0	0.0%
Peninsular metalmark	762.8	636.7	83.5%
Peninsular navarretia	1.3	0.0	0.0%
Peninsular spine flower	116,749.3	36,079.4	30.9%
Pierson's Milkvetch	47,783.0	0.0	0.0%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Pocketed free-tailed bat	1,557,841.5	253,155.2	16.3%
Prairie falcon	243,544.7	3,526.0	1.4%
Pride of California	63,399.3	1,950.6	3.1%
Prostrate navarretia	3,863.1	1,308.4	33.9%
Prostrate spineflower	73,858.8	16,283.8	22.0%
Purple Martin	70,454.6	21,133.8	30.0%
Pygmy lotus	61,117.1	0.0	0.0%
Quino checkerspot butterfly	97,798.9	20,493.5	21.0%
Rainbow Manzanita	55,286.1	10,533.9	19.1%
Rainbow Trout -- Steelhead form	7,225.6	31.2	0.4%
Ramona horkelia	1,185.0	331.0	27.9%
Rayless ragwort	14,820.5	583.5	3.9%
Red sand verbena	356.7	0.0	0.0%
Red-shouldered hawk	115,345.0	25,977.4	22.5%
Reddish egret	3,855.2	32.7	0.8%
Redhead	1,455.9	15.9	1.1%
Reiser's dudleya	19,974.4	6,684.3	33.5%
Ribbed cryptantha	23,946.3	0.0	0.0%
Ringtail	727,767.4	191,819.3	26.4%
Riverside fairy shrimp	8,359.3	1,308.4	15.7%
Robinson pepper grass	23,090.7	1,353.1	5.9%
Robinson's beetle	5,525.0	1,957.0	35.4%
Rock nettle	15,057.7	0.0	0.0%
Round leaved boykinia	5,447.3	1,596.3	29.3%
Rufous-crowned sparrow	249,770.8	82,802.8	33.2%
Rush like bristle bush	52,725.7	23,854.9	45.2%
Salt marsh bird's beak	670.8	0.0	0.0%
Salton milkvetch	80,779.1	0.0	0.0%
San Bernardino Bluegrass	645.9	138.9	21.5%
San Bernardino Mtns. owl's clover	1,479.0	329.5	22.3%
San Diego Ambrosia	13,684.7	1,224.4	8.9%
San Diego Milkvetch	53,438.5	8,514.1	15.9%
San Diego Thornmint	56,659.4	8,715.7	15.4%
San Diego adolphia	28,179.6	994.9	3.5%
San Diego banded gecko	153,157.4	41,185.7	26.9%
San Diego black-tailed jackrabbit	559,852.7	140,484.4	25.1%
San Diego bur sage	2,395.4	0.0	0.0%
San Diego button celery	11,782.3	1,972.9	16.7%
San Diego cactus wren	56,466.1	1,953.2	3.5%
San Diego desert woodrat	356,162.2	97,138.4	27.3%
San Diego fairy shrimp	9,513.5	1,684.5	17.7%
San Diego goldenstar	25,707.2	5,284.3	20.6%
San Diego horned lizard	846,091.8	230,829.8	27.3%
San Diego marsh elder	10,222.5	482.7	4.7%
San Diego mesa mint	3,863.1	1,308.4	33.9%
San Diego mountain kingsnake	25,654.3	9,386.3	36.6%
San Diego needlegrass	2,665.6	938.7	35.2%
San Diego ringneck snake	436,125.5	125,439.8	28.8%
San Diego sand aster	2,316.4	134.4	5.8%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
San Diego sunflower	69,446.4	24,462.9	35.2%
San Dieguito sand aster	4,863.6	330.7	6.8%
San Felipe monardella	2,117.9	488.7	23.1%
San Fernando spine flower	4,778.6	219.9	4.6%
San Jacinto Mountains bedstraw	1,838.8	873.9	47.5%
San Jacinto beard tongue	220.7	51.8	23.5%
San Jacinto golden aster	19,529.5	749.1	3.8%
San Miguel savory	46,198.2	19,938.4	43.2%
Sand dune tiger beetle	1,317.6	0.0	0.0%
Sandhill crane	10,817.6	109.9	1.0%
Sandy beach tiger beetle	445.8	0.3	0.1%
Santa Catalina Island currant	1,622.1	24.8	1.5%
Santa Rosa Mtn. Linanthus	1.8	0.0	0.0%
Sea dahlia	20,451.8	446.5	2.2%
Seaside calandrinia	852.7	0.0	0.0%
Sharp-shinned hawk	1,258,568.0	317,078.7	25.2%
Shaw's agave	661.9	105.3	15.9%
Short leaved dudleya	2,734.5	196.3	7.2%
Short lobed broom rape	2,204.2	135.4	6.1%
Short-eared owl	11,531.1	463.3	4.0%
Silvery legless lizard	26,083.3	2,050.8	7.9%
Single leaf basket bush	9,221.5	0.0	0.0%
Slender Pod Jewelflower	51,223.7	19,990.6	39.0%
Slender leaved ipomopsis	26,833.9	0.0	0.0%
Slender woolly heads	1,206.5	0.0	0.0%
Small flowered microseris	18,140.0	549.1	3.0%
Small flowered morning glory	12,828.6	372.9	2.9%
Small leaved rose	436.9	0.0	0.0%
Small-footed myotis	1,157,835.8	236,320.6	20.4%
Smooth tarplant	2,282.1	284.9	12.5%
Snake cholla	6,886.5	424.6	6.2%
Snow goose	1,453.6	15.7	1.1%
South Coast Saltbush	2,482.8	17.6	0.7%
South Coast garter snake	9,508.1	647.7	6.8%
Southern grasshopper mouse	250,117.7	78,051.9	31.2%
Southern jewelflower	38,003.9	8,157.6	21.5%
Southern mountain misery	27,576.4	11,468.9	41.6%
Southern mule deer	2,118,325.9	338,523.2	16.0%
Southern sagebrush lizard	95,110.8	16,485.1	17.3%
Southern skullcap	1,282.5	245.7	19.2%
Southern tarplant	3,009.4	618.4	20.5%
Southwestern bitterroot	645.9	138.9	21.5%
Southwestern pond turtle	27,380.5	2,772.4	10.1%
Southwestern willow flycatcher	44,515.2	6,263.5	14.1%
Soutwestern spiny rush	10,706.6	908.6	8.5%
Spermolepis	44.7	0.0	0.0%
Spotted bat	136,516.2	32,560.7	23.9%
Spreading navarretia	13,555.1	1,604.4	11.8%
Stephen's kangaroo rat	76,862.6	19,063.8	24.8%

Initial Assessment of Burn Impacts on Predicted Species Distributions
(based on DOI BAER Vegetation Mortality - released 11/10/03)

	Pre-Fire Total	Acres Burned	Percent Burned
Sticky dudleya	34,325.0	11,601.0	33.8%
Sticky gerea	1,527.3	3.5	0.2%
Summer holly	122,912.9	28,037.7	22.8%
Summer tanager	4,721.7	0.4	0.0%
Swainson's hawk	110,738.0	0.0	0.0%
Tecate cypress	39,619.6	20,457.5	51.6%
Tecate tarplant	5,799.1	622.9	10.7%
Thornes hairstreak butterfly	5,577.2	3,798.5	68.1%
Thread leaved brodeaia	4,749.2	217.1	4.6%
Thurber's beardtongue	9,434.1	0.0	0.0%
Thurber's pilostyles	2,961.4	0.0	0.0%
Tidewater goby	1,223.7	0.0	0.0%
Tiger beetle	2,071.5	4.4	0.2%
Torrey pine	101.6	0.0	0.0%
Townsend's big-eared bat	3,787.4	1,958.2	51.7%
Tricolored blackbird	84,096.5	7,597.4	9.0%
Turkey vulture	1,454,746.5	332,152.2	22.8%
Two stripe garter snake	11,017.9	816.9	7.4%
Two-tailed swallowtail	5,300.6	0.0	0.0%
Utah vine milkweed	7.3	0.0	0.0%
Variegated dudleya	8,993.2	2,181.8	24.3%
Velvety false lupine	2,282.4	808.0	35.4%
Vermilion flycatcher	7,798.9	378.3	4.9%
Vernal barley	439.4	105.4	24.0%
Vernal pool monkey flower	1,294.7	0.0	0.0%
Wandering salt marsh skipper	1,317.6	0.0	0.0%
Warner Springs lessingia	581.2	14.8	2.5%
Wart stemmed ceanothus	39,165.6	13,025.9	33.3%
Western Grebe	4,124.5	79.1	1.9%
Western bluebird	239,744.2	62,970.0	26.3%
Western dichondra	17,496.4	3,552.6	20.3%
Western red bat	167,473.6	39,523.1	23.6%
Western snowy plover	1,721.1	0.0	0.0%
Western spadefoot toad	466,863.4	113,710.5	24.4%
White-faced ibis	8,224.9	212.1	2.6%
Wiggins cholla	26,637.7	0.0	0.0%
Willow monardella	5,207.2	317.7	6.1%
Winged cryptantha	25,189.3	0.0	0.0%
Wolf's cholla	13,783.3	0.0	0.0%
Wood stork	1,455.9	15.9	1.1%
Woolly seablite	1,221.1	0.0	0.0%
Woven-spored Lichen	17,025.3	0.0	0.0%
Wright's hymenothrix	24,915.6	9,244.5	37.1%
Yellow warbler	40,806.0	5,287.2	13.0%
Yellow-billed cuckoo	14,116.9	528.2	3.7%
Yellow-breasted chat	40,025.6	6,054.0	15.1%
Yerba reuma	670.8	0.0	0.0%
Yuma myotis	663,832.0	157,744.1	23.8%